



COLLARD & ROE, P.C.
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS
1077 Northern Boulevard
Roslyn, New York 11576
(516) 365-9802
FAX (516) 365-9805

RECEIVED
CENTRAL FAX CENTER

NOV 12 2003

FACSIMILE TRANSMISSION

OFFICIAL

DATE: November 12, 2003

NO. OF PAGES INCLUDING COVER PAGE:

TO: Examiner: Matthew P. Hodges

FAX NO.: 1-703-872-9319

FROM: COLLARD & ROE, P.C.

RE: U.S. SER. NO. 09/939,897
Group: 2879
Applicants: IL KOMORI ET AL (2)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Dear Sir:

Enclosed, please find a Response to Office action of Aug. 13, 2003. Please acknowledge receipt.

Respectfully submitted,

Kurt Kelman

KK:im

RAUSER\inittcodor\Kelman\FAX transmittal PTO-Shimadzu et al Jan. 03.wpd

This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.

NOV-12-2003 10:40

COLLARD&ROE

NOV 12 2003

15163659805

P.02

OFFICIAL

RESPONSE UNDER 37 CFR 1.116
EXPEDITED PROCEDURE
GROUP: 2879

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: H. KOMORI ET AL (2) EXAMINER: MATTHEW P. HODGES
SERIAL NO.: 09/939,897 GROUP: 2879
FILED: AUGUST 27, 2001
FOR: CRT PANEL GLASS CONTAINING SrO and BaO

RESPONSE UNDER 37 CFR 1.116

MAIL STOP AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office letter of August 13, 2003, applicants respectfully traverse the rejection of the claims under 35 U.S.C. 103(a) as being unpatentable over Steierman, the primary reference, in view of Yanagisawa et al, the secondary reference, in further view of Petersen et al, the tertiary reference.

The claimed invention relates to a CTR panel glass. As the Examiner has conceded, Steierman's CTR glass contains neither TiO₂ or ZrO₂. The Yanagisawa et al patent has been cited to show TiO₂ content in a glass, and the Petersen et al patent has been cited to show ZrO₂ content in a glass. The Examiner has relied on these two patents as being "in the same